

Knittel, Janette

From: Knittel, Janette
Sent: Wednesday, March 11, 2020 1:14 PM
To: 'Long, John'
Subject: RE: LDWG sampling in tideflats

I heard from Elly that LDWG has not yet attempted to contact CP. I have a figure from her that shows sampling locations and depths but she hasn't received permission from LDWG yet for me to forward it to you. I don't know about analytes or methods. I gave a heads up to Jennifer MacDonald who talks regularly with David Blount but she doesn't have many details. If he or CP want to know more they are welcome to contact Elly directly. (206) 553-1215 hale.elly@epa.gov
Janette

From: Long, John <john.long3@woodplc.com>
Sent: Wednesday, March 11, 2020 12:25 PM
To: Knittel, Janette <Knittel.Janette@epa.gov>
Subject: RE: LDWG sampling in tideflats

Janette:

I haven't heard from anyone about this— and thanks for the heads-up. Since CP is one of the few private property owners with actual tide flats one might think the LDWG would ask for permission. I will check with the clients and David Blount and see what they think. I think they would want to know about analytes, sampling methods, sample location, and sample depths.

(b) (6)

A large rectangular area of the email body is redacted with a solid grey block.

Thanks - John

From: Knittel, Janette <Knittel.Janette@epa.gov>
Sent: Tuesday, March 10, 2020 1:57 PM
To: Long, John <john.long3@woodplc.com>
Subject: LDWG sampling in tideflats

Hi John,

I've not heard anything about this from you, so I wonder if Container Properties is aware. When we met back in September(?) we talked about how LDWG is planning the upper reach design sampling. Elly Hale (LDW RPM) told me they are close to finalizing the locations and sampling could start in May. She said she would ask the LDWG PM if they have been in touch with Container Properties to get permission to access the property. And she was wondering is there anyone in particular they should talk to? You or someone with CP could also call Elly directly (206-553-1215).

Have you heard anything about LDWG coordinating with CP about this sampling? Do you think there will be any issues around this?

Regards,
Janette

Janette Knittel
U.S. EPA Region 10

Land, Chemical, and Redevelopment Division
RCRA Corrective Action, Permits, and PCB Section
1200 6th Ave, Suite 155, 15-H04
Seattle, WA 98101-3188
Phone 206-553-0483
Knittel.Janette@epa.gov

This message is the property of John Wood Group PLC and/or its subsidiaries and/or affiliates and is intended only for the named recipient(s). Its contents (including any attachments) may be confidential, legally privileged or otherwise protected from disclosure by law. Unauthorized use, copying, distribution or disclosure of any of it may be unlawful and is strictly prohibited. We assume no responsibility to persons other than the intended named recipient(s) and do not accept liability for any errors or omissions which are a result of email transmission. If you have received this message in error, please notify us immediately by reply email to the sender and confirm that the original message and any attachments and copies have been destroyed and deleted from your system.

If you do not wish to receive future unsolicited commercial electronic messages from us, please forward this email to: unsubscribe@woodplc.com and include "Unsubscribe" in the subject line. If applicable, you will continue to receive invoices, project communications and similar factual, non-commercial electronic communications.

Please click <http://www.woodplc.com/email-disclaimer> for notices and company information in relation to emails originating in the UK, Italy or France.

As a recipient of an email from a John Wood Group Plc company, your contact information will be on our systems and we may hold other personal data about you such as identification information, CVs, financial information and information contained in correspondence. For more information on our privacy practices and your data protection rights, please see our privacy notice at <https://www.woodplc.com/policies/privacy-notice>
